


2020 Part Number Quick Reference Guide

Mechanical Piping Components



Grooved Mechanical Couplings



#7705
Flexible Coupling
1" ~ 12"



#7706
Reducing Coupling
1½" x 1¼" ~ 8" x 6"



#7707 / #7707N
Heavy Duty Flex. Cplg.
¾" ~ 12" / 14" ~ 26"



#7707L
Large Dia. Coupling
14" ~ 42"



#R20
Butt-Joint Rigid Coupling
1¼" ~ 12"



#Z05
Angle Pad Rigid Cplg.
1¼" ~ 8"



#Z07 / #Z07N
Heavy Duty
Angle Pad Rigid Cplg.
1¼" ~ 12" / 14" ~ 24"



#XH-1000
Extra Heavy Rigid Cplg.
2" ~ 12"



#XH-70EP
Extra Heavy End
Protection Rigid Cplg.
2" ~ 12"



#G-28
Hinged Lever Coupling
1½" ~ 10"



#C-7
Outlet Coupling
1½" x ½" - 6" x 2½"



#7771
Std. Rigid Coupling
1½" ~ 24"



#K-9
LW Rigid Coupling
1¼" ~ 8"

Mechanical Tees



#7721 / #M21
Mechanical Tee (FPT)
2" x ½" ~ 8" x 4"



#7722 / #M22
Mechanical Tee (Grv)
2" x 1" ~ 8" x 4"



#723
Saddle-Let
1¼" x ½" ~ 2½" x 1"

Flanges & Flange Adapters



#7041
Flange Adapter
2" ~ 24"



#7043
Flange Adapter
Class 300
2" ~ 12"



#7170
Flange Adapter
10" ~ 36"



#7180
Universal Flange Adapter
2" ~ 8"



#7181
Universal Reducing
Flange Adapter
3" x 2" ~ 6" x 4"

HDPE Series



#H305 (IPS/ISO)
HDP Coupling
2" ~ 20"
(50mm ~ 450mm)



#H307 (IPS/ISO)
HDP Transition Cplg.
2" ~ 12"
(63mm ~ 315mm)



#H312 (IPS/ISO)
HDP Flange
3" ~ 12"
(63mm ~ 315mm)

Plain-End Coupling



#79
For IPS Steel Pipe
WILDCAT Coupling
1" ~ 16"

Grooved Fittings



#7110
90° Elbow
1" ~ 24"



#7111
45° Elbow
1" ~ 24"



#7112
22½° Elbow
1¼" ~ 12"



#7112G
Goose Neck
22½° Elbow
1½" ~ 8"



#7113
11¼° Elbow
1" ~ 12"



#7110-B
90° Elbow
w/Base Support
3" ~ 12"



#7110DR
Drain Elbow
2" ~ 8"



#7110LR
1.5D 90° Elbow
2" ~ 12"



#7111LR
1.5D 45° Elbow
2" ~ 12"



#901
S/R 90° Elbow
2" ~ 8"



#7120
Tee
1" ~ 16"



#903
S/R Tee
2" ~ 8"



#7121
Reducing Tee
2" x 1½" ~ 12" x 10"



#7125
Bullhead Tee
2" x 2½" ~ 6" x 8"



#7127
Standpipe Tee
4" x 2½" ~ 6" x 2½"



#7130
45° Lateral
2" ~ 12"



#7135
Cross
2" ~ 8"



#7137
True-Y
2" ~ 12"



#7150
Concentric Reducer
1¼" x 1" ~ 24" x 20"



#7150F
Red. Socket (Grv x FPT)
1½" x 1" ~ 6" x 4"



#7150M
Red. Nipple (Grv x MPT)
1½" x 1" ~ 6" x 4"



#7151
Eccentric Reducer
2½" x 2" ~ 24" x 20"



#7160
End Cap
1" ~ 12"



#7160P
End Cap w/Plug
2" ~ 12"



#7160H
Domed End Cap
10" ~ 24"



7160T
Transition Cap
2" x 1" ~ 6" x 2"



#55
Nipple Adapter
1½" ~ 2"



#899
End-All Fitting
1¼" x ½" ~ 2½" x 1"



#56
Hose Nipple
1" ~ 8"



#57
Nipple (Grv x Grv)
¾" ~ 12"



#58
Nipple (Grv x Bev)
¾" ~ 12"



#59
Nipple (Grv x MPT)
¾" ~ 6"



#850
Sprinkler Hub, 3 Outlets
2"x2"x1" ~ 2½"x2½"x1"



#851
Red. Sprinkler Hub,
3 Outlets
2"x1½"x1" ~ 2½"x2"x1"



#853
Sprinkler End Hub,
4 Outlets
1½" x 1" ~ 2½" x 1"



#7114
Hydrant Elbow
4"x3"x1" ~ 6"x3"x1"




#7122
Hydrant Tee
4"x4"x3" ~ 6"x6"x3"



#7133
Pitcher Tee
80 x 80 x 76.1mm ~
150 x 150 x 76.1mm



#71
Outlet Fitting (Thd)
¼" ~ 4"



#72C
Outlet Fitting (Cut-Grv)
2" ~ 8"



#72R
Outlet Fitting (Roll-Grv)
1¼" ~ 4"



#10EP
90° Elbow
2" ~ 6"



#11EP
45° Elbow
2" ~ 6"



#20EP
Tee
2" ~ 6"



#22EP
Header Tee
2" to 3" ~ 2" to 4"



#35EP
Cross
2" ~ 6"



#R-88 / #R-88N
Ring Joint Coupling
2" ~ 104"



#RH-1000
1000 psi Coupling
8" ~ 12"



#RX-3000
3000 psi Coupling
8" ~ 12"




#RX-3770
3770 psi Coupling
6" ~ 12"



#RJ-10
90° Elbow
8" ~ 48"



#RJ-60
Cap
8" ~ 48"



#S35
Flexible Coupling
2" ~ 8"



#SD-28
Toggle Coupling
2" ~ 8"



#S-58
Concrete Coupling
2" ~ 8"

Stainless Steel Grooved Series



#SS-5
Angle Pad Rigid Cplg.
1 1/4" ~ 8"



#SS-7
Rigid Coupling
1 1/4" ~ 8"



#SS-7X
Rigid Coupling
10" ~ 24"



#SS-8
Flexible Coupling
1" ~ 8"




#SS-8X
Heavy Duty Flex. Cplg.
3/4" ~ 8"



#SS-1200
High Pressure
Flexible Coupling
3/4" ~ 4"



#SS-28
Hinged Lever Coupling
1 1/2" ~ 6"



#SS-41
Flange Adapter
2" ~ 8"



#SS-80
Universal Flange Adapter
2" ~ 12"



#SS-10
90° Elbow
1" ~ 12"



#SS-11
45° Elbow
1" ~ 12"




#SS-20
Tee
1" ~ 12"



#SS-21
Reducing Tee
1 1/4" x 1" ~ 12" x 10"



#SS-50
Concentric Reducer
1 1/4" x 1" ~ 12" x 10"



#SS-60
Cap
1" ~ 12"



#SS-723
Mechanical Tee
1 1/4" x 1/2" ~ 2" x 1"



#SS-726
Y-Strainer
2 1/2" ~ 6"



#SJ-400L
Butterfly Valve
2" ~ 12"



#SJ-400W
Butterfly Valve
14" ~ 24"



#SJ-600L
600 psi Ball Valve
1 1/2" ~ 4"



#SJ-600W
600 psi Ball Valve
2" ~ 4"



#SJ-630
Three Port Ball Valve
2"

Copper Grooved Series



C305
Rigid Coupling
2" ~ 6"




#C306
Reducing Coupling
2 1/2" x 2" ~ 6" x 4"



#C307
Transition Coupling
(IPS x CTS)
2" ~ 4"



#C723
Bronze Mechanical
Tee
2 1/2" x 1/2" ~ 4" x 1 1/4"



#C341
Flange Class 125/150
2" ~ 6"



#C10
90° Elbow
2" ~ 6"



#C11
45° Elbow
2" ~ 6"



#C20
Tee
2" ~ 6"



#C21
Reducing Tee (Grv x Grv)
2½" x 2" ~ 6" x 5"



#C26
Reducing Tee (Grv x Cup)
2" x ¾" ~ 4" x 2"



#C50
Conc. Reducer (Grv x Grv)
2½" x 2" ~ 6" x 5"



#C52
Conc. Reducer (Grv x Cup)
2" x 1" ~ 4" x 2"



#C55 / #C55T
Transition Adapter
(IPS/FT X CTS/GR)
1½" x 2" ~ 3" x 3"



#C60
Cap
2" ~ 6"



#C726
Y-Strainer
2" ~ 6"



#SJ-C300
Butterfly Valve
2" ~ 6"



#DE30-GG
Dielectric Transition Ftg.
2" ~ 8"

**Grooved-End
Valves
&
Flow Control
Components**



#SJ-300F
Butterfly Valve
2" ~ 12"



#SJ-300N-L
300 psi Butterfly Valve
2" ~ 12"



#SJ-300N-W
300 psi Butterfly Valve
2" ~ 24"



#SJ-200
Low-Profile
Butterfly Valve
2" ~ 8"



#RCV
Riser Check Valve
2½" ~ 6"



#SJ-900
300 psi Swing
Check Valve
2½" ~ 12"



#SJ-915
Dual Disc Check Valve
2½" ~ 12"



#SJ-915
Dual Disc Check Valve
14" ~ 24"



#SJ-930
Horizontal Swing
Check Valve
2" ~ 4"



#SJ-500L
Ball Valve
1½" ~ 6"



#SJ-500W
Ball Valve
1½" ~ 6"



#SJ-530
Three Port Ball Valve
2"




#725F
Suction Diffuser
3" ~ 24"



#726
Y-Strainer
2" ~ 30"



#728
T-Strainer
2" ~ 14"



#651
Expansion Joint
1½" ~ 12"

AWWA Grooved Series



#A505
AWWA Coupling
3" ~ 12"



#A507
Transition Coupling
3" ~ 12"



#A512
Flange Adapter
3" ~ 12"



#A10
90° Elbow
3" ~ 12"



#A11
45° Elbow
3" ~ 12"



#A20
Tee
3" ~ 12"



#A25
Reducing Tee
4" x 3" ~ 12" x 10"



#A10R
Reducing Elbow
4" x 3" ~ 12" x 10"



#A50
Concentric Reducer
4" x 3" ~ 12" x 10"



#A60
Cap
3" ~ 12"

Ductile Iron Threaded Fittings

- #811 90° Elbow
- #812 Reducing 90° Elbow
- #813 45° Elbow
- #814 Tee
- #815 Bullhead Tee
- #815 Reducing Tee
- #816 Reducing Coupling
- #817 Cross
- #817 Reducing Cross
- #818 Straight Coupling
- #819 Plug
- #820 Cap
- #825 Extension Piece
- #827 Hex Bushing
- #830 Brass Seat Union
- #831 Long Street 90° Elbow
- #832 Long Street Tee
- #841 Companion Flange



APAC, Taiwan

11F-2, No. 175, Zhongzheng 2nd
Road, Lingya District, Kaohsiung City,
Taiwan

Tel: +886 7 225-3768
Fax: +886 7 225-9998

No. 295, Sec. 3, Wandan Road,
Wandan Township, Pingtung County,
Taiwan
Fax: +886 8 753-0227

Your local distributor is:



spfa.com.au

Perth	08 6167 5600	wa.sales@spfa.com.au
Melbourne	03 8373 1600	vic.sales@spfa.com.au
Sydney	03 8373 1600	nsw.sales@spfa.com.au
Brisbane	08 6167 5600	qld.sales@spfa.com.au